



PG

L2140-L2145-L2150

ENVIRONMENTAL INFO

PG L2140

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	4,4 A
Power consumption (Max.)	995 W
Power consumption (Printing)	584 W
Power consumption (Off mode)	1,9 W
Power consumption (Power saving mode)	12,2 W
Power consumption (Off mode)	0,5W
TEC (Typical Electricity Consumption) kWh/week	2.154
Power consumption in networked stand-by - Ethernet	2,6 W
Power consumption in networked stand-by	2,6 W
Networked stand-by mode switch time	11 min
Noise level in stand-by	38,6 dB(A) Lwa RAL UZ 122 - ISO7779
Noise level in copying	68,00 dB(A) Lwad RAL UZ 122 - ISO7779
Ozone emission	Below detection Limit
Benzene emission	Below detection Limit
Fine dust emission	Below detection Limit
Styrene emission	0,093 mg/h RAL UZ 122
TVOC emission	5,6 mg/h RAL UZ 122



PG L2145

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	5,2 A
Power consumption (Max.)	1218 W
Power consumption (Printing)	618 W
Power consumption (Off mode)	1,6 W
Power consumption (Power saving mode)	13 W
Power consumption (Off mode)	0,5W
TEC (Typical Electricity Consumption) kWh/week	2.534
Power consumption in networked stand-by - Ethernet	2,2 W
Power consumption in networked stand-by	2,2 W
Networked stand-by mode switch time	1 min
Noise level in stand-by	40,4 dB(A) Lwa RAL UZ 122 - ISO7779
Noise level in copying	69,2 dB(A) Lwad RAL UZ 122 - ISO7779
Ozone emission	Below detection Limit
Benzene emission	Below detection Limit
Fine dust emission	Below detection Limit
Styrene emission	0,1 mg/h RAL UZ 122
TVOC emission	6,3 mg/h RAL UZ 122



PG L2150

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	5,2 A
Power consumption (Max.)	1222 W
Power consumption (Printing)	677 W
Power consumption (Off mode)	1,6 W
Power consumption (Power saving mode)	12,8 W
Power consumption (Off mode)	0,5W
TEC (Typical Electricity Consumption) kWh/week	2.843
Power consumption in networked stand-by - Ethernet	2,2 W
Power consumption in networked stand-by	2,2 W
Networked stand-by mode switch time	1 min
Noise level in stand-by	39,9 dB(A) Lwa RAL UZ 122 - ISO7779
Noise level in copying	70,0 dB(A) Lwad RAL UZ 122 - ISO7779
Ozone emission	Below detection Limit
Benzene emission	Below detection Limit
Fine dust emission	Below detection Limit
Styrene emission	0,120 mg/h RAL UZ 122
TVOC emission	7,20 mg/h RAL UZ 122